(C) 2003 THOMSON DERWENT L123 ANSWER 6 OF 8 WPIX WPIX 1999-005164 [01] AN C1999-001647 DNC Agent for increasing bone density - contains oestrogen and aromatase ΤI non-metabolisable androgen. DC (KAKE) KAKEN PHARM CO LTD PA CYC A61K031-565 A 19981020 (199901)* 10p JP 10279483 PΤ JP 10279483 A JP 1998-22353 19980203 ADT 19970204 PRAI JP 1997-21451 ICM A61K031-565 IC JP 10279483 A UPAB: 19990107 AB Agent for treating osteoporosis or retarded osteogenesis contains oestrogen preferably oestradiol and aromatase non-metabolisable androgen preferably dihydrotestosterone. Also claimed are a kit containing oestrogen and aromatase non metabolisable androgen in a composition comprising the kit, a method preferably by oral, percutaneous, implant or subcutaneous application for increasing bone density includes administering oestrogen having activity corresponding to 0.2-2 (preferably 0.2-1) mu g/kg/day oestradiol, simultaneously or separately with aromatase non metabolisable androgen having activity preferably corresponding to 20-80 mu g/kg/day dihydrotestosterone, a machine readable memory media which records a program for carrying out the methods and an administration system for administration of estrogen and aromatase non metabolisable The estrogen is preferably oestradiol, oestradiol valerate, oestradiol benzoate, oestradiol propionate, oestrone, oestrogen conjugate or estriol propionate and the aromatase non metabolisable androgen is dihydrotestosterone, oxandrolone, oxymetholone, stanozolol, mestanolone, stanolone or androstane. USE - The composition is used for treating osteoporosis or retarded ADVANTAGE - The composition maintains or increases bone density osteogenesis. without side effects. Dwg.0/3 FS CPI AB; DCN CPI: B01-A02; B01-C05; B14-N01 FA MC

BEST AVAILABLE COPY

```
ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS
L8
AN
     1992:564103 CAPLUS
DN
     117:164103
     Progestin antagonism of estrogen stimulated 1,25-
ΤI
     dihydroxyvitamin D levels
     Bikle, Daniel D.; Halloran, Bernard P.; Harris, Steven T.; Portale,
AU
     Anthony A.
CS
     VA Med. Cent., UCSF Med. Serv., San Francisco, CA, 94121, USA
     Journal of Clinical Endocrinology and Metabolism (1992), 75(2),
SO
     CODEN: JCEMAZ; ISSN: 0021-972X
DT
     Journal
LA
     English
CC
     2-4 (Mammalian Hormones)
     Progestins are frequently used in combination with estrogen to prevent or
AΒ
     treat postmenopausal osteoporosis. Progestins protect against
     the undesirable hyperplastic effects of estrogen on the endometrium. The
     possibility that progestins might antagonize the beneficial effects of
     estrogen on calcium homeostasis has received little attention. In this
     study the authors detd. whether the addn. of progestin to
     estrogen would alter the ability of estrogen to raise serum
     1,25-dihydroxyvitamin D [1,25-(OH)2D] levels. Women within 5 yr of
     menopause were treated with three cycles of oral unopposed estrogen [1 or
     2 mg/day (3.67 or 7.34 .mu.mol/day) 17.beta.-estradiol (E2) for 25/30 days
     of each cycle] followed by three cycles of E2 plus progestin [10
     mg/day (29 .mu.mol/day) medroxyprogesterone on days 12-25]. E2 increased
     both total and free 1,25-(OH)2D concns. in a dose-dependent fashion.
     These levels increased progressively over the three cycles of unopposed
     estrogen treatment. In contrast the vitamin D binding protein concn.
     reached maximal levels after one cycle of E2. With the addn. of
    progestin, the levels of total and free 1,25-(OH)2D returned
     toward baseline although vitamin D binding protein levels remained
     elevated. PTH levels rose with both doses of E2 as serum calcium levels
     fell. Progestin did not significantly alter the effects of E2
     on PTH or calcium. These results raise the possibility that
    progestin may antagonize part of the salubrious effects of
    estrogen on calcium homeostasis.
ST
    calcitriol estradiol progestin calcium serum
IT
    Progestogens
     RL: BIOL (Biological study)
        (calcitriol of blood serum response to estradiol modulation by, in
       women)
IT
    Blood serum
        (calcitriol of, of women, estradiol and progestin effect on)
IT
    Proteins, specific or class
     RL: BIOL (Biological study)
        (dihydroxyvitamin D3-binding, of blood serum, of women, estradiol and
       progestin effect on)
IT
     520-85-4, Medroxyprogesterone
     RL: BIOL (Biological study)
        (calcitriol of blood serum response to estradiol modulation by, in
       women)
IT
     50-28-2, Estradiol, biological studies
     RL: BIOL (Biological study)
        (calcitriol of blood serum response to, in women, progestin effect on)
IT
    7440-70-2, Calcium, biological studies 9002-64-6, Parathormone
     32222-06-3, Calcitriol
     RL: BIOL (Biological study)
        (of blood serum, of women, estradiol and progestin effect on)
```

=>

